





Parking Brake Valve		4.03
	RL3526AK	
	Ports 1,2 = M14X1.5	
Cross Ref.	9617221510	
Alternative	HB1203, 325017001	
Application	Iveco	101741
Repair Kits	RL3526AK-9	
	RL3526AK01	
	Ports: 1,2=M14X1.5	
Cross Ref.	9617221820	
Application	Mercedes	3844307309
	RL3526BK	
	Ports: 1,2=M14x1.5	
Application	Scania	436190
Alternative	HB1180, 9617221500	
Repair Kits	RL3526BK-9	
	RL3526BK-B	
	Ports 1, 2 thread: M14x1.5 Installation hole thread: M8	
Cross Ref.	9617221600	
Application	DAF	0664867

	RL3526BA	
	Ports 1, 2= M16X1.5 Parker	
Application	Foton	1315035300005
	Suzhou King Long	35GC2-26010
Repair Kits	RL3526BK-9	
	RL3526BA01	
	Port 1: M16x1.5 Port 2: M16x1.5 Mounting: M6	
Cross Ref.	9617230210	
Application	Scania	469271
	RL3526BA04	
	Ports 1,2=M16x1.5 Exhaust Hole: $\phi 6$ Installation Hole: M6 Installation Hole Spacing: (80 ± 0.2) mm	
Application	CNHTC	WG9719360030/2
	RL3526BA07	
	Ports 1,2=M16x1.5	
Cross Ref.	9617230040	
Application	DAF	1505331
	Volvo	6702610


Parking Brake Valve		4.03	
		RL3526BA03	
		Ports 1,2: M16x1.5	
Cross Ref.	9617230380		
Application	Foton	1315035300005	
	DWCV	3454402520	
		RL3526BA10	
		Ports Thread 2xM16x1.5 Installation Hole Thread: M6	
Application	Kamaz		
		RL3526BA14	
		Ports 1, 2 Thread: M16x1.5 Installation Hole: M6, DC Max 24V	
Cross Ref.	9617230640		
Application	Kamaz		
		RL3526BB	
		Ports: 1, 2=M16x1.5 Parker	
Cross Ref.	9617230010		
Application	DAF	0371274	
	Iveco	500002949	
	MAN	M225975	
Repair Kits	RL3526BB-9		

		RL3526BK01	
		Ports 1, 2: M14x1.5-6H Installation hole: 2xM6-6H Parking position: 73°	
Cross Ref.	8845021050		
Application	Foton		
		RL3526BA02	
		Inlet Port 11: M18x1.5-6g Outlet Port 21: M18x1.5-6g Installation Plate Hole: M6 Parking Position: 73°	
Cross Ref.	13062353M0055		
Application	Foton Rowor II Foton Rowor III -140 Foton Rowor I Foton Rowor III -190		
		RL3526BA09	
		Port 1: φ10 Port 21: φ10	
Cross Ref.	3508915-240		
Application	FAW		
		RL3526BA08	
		Ports 1,2=M16x1.5 Installation Hole: M6 Installation Hole Spacing: 80mm	
Cross Ref.	XMQ6112E2-3526010		
Application	XiaMen King Long		


Parking Brake Valve		4.03
	RL3526BA13	
	Ports 1, 2: M16x1.5 Installation hole: 2xM6 Parking position 73°	
Cross Ref.	3506900LE170	
Application	JAC LCV III	
	RL3526BM	
	Inlet Port 1: NPT3/8 Outlet Port 2: NPT3/8 Installation Plate Hole: Φ 7 Parking Position: 85°	
Cross Ref.	13053357X0007	
Application	Foton Rowor P140	
	RL3526CK	
	Ports 11,21,22: M14x1.5	
Cross Ref.	9617222520	
Alternative	HB1201, 328019001	
Application	Iveco	228235
	DAF	374642
	Mercedes	0014300281
Repair Kits	RL3526CK-9	
	RL3526CK02	
	Ports 11,21,22=M14x1.5 Exhaust Hole: Φ 8.5 Installation Hole: M8 Installation Hole Spacing: 40mm	
	RL3526CK05	
	Ports 1,21,22: M14x1.5	
Cross Ref.	9617223140	
Application	Scania	390286


	RL3526CK03	
	Ports 11,12: M14x1.5 Ports 21,23: M14x1.5 Mounting: M8x1.25 Parking Position: 73°	
Cross Ref.	9617222840	
Application	Mercedes	3644307181
	RL3526CK04	
	Ports 11, 21: M14x1.5-6H Installation hole: 2xM8x1.25-6H	
Cross Ref.	9617222750	
Application	Mercedes	0024302481
	DAF	
	RL3526CK06	
	Ports 11,21,22=M14x1.5 Exhaust Hole: Φ 8.5 Installation Hole: M8 Installation Hole Spacing: (40 ± 0.15)mm	
Cross Ref.	9617223150	
Application	Mercedes	3884307709
	RL3526CK37	
	Ports 11, 21, 22: M14x1.5-6H Installation Hole: 2xM6-6H Installation Hole Spacing: 80mm Parking Position 85°	
Cross Ref.	9617223050	
Application	NATO	
	Volvo	1598586

Parking Brake Valve 4.03


RL3526CK116	
	Ports 11,21: M14x1.5
Cross Ref.	961 722 264 0
Application	Daimler Chrysler AG RVI Trucks SAS


RL3526RA	
	Ports: Slide Lock
Cross Ref.	9617222120
Alternative	HB1173
Application	DAF 1518221 Mercedes 0004309581
Repair Kits	RL3526RA-9


RL3526RB	
	Ports: Slide Lock
Cross Ref.	9617222320
Alternative	HB1168
Application	DAF 1524289 Mercedes 0004309681
Repair Kits	3526 010 001 9-1





RL3526EK	
	Ports 11,21,22: M14x1.5
Cross Ref.	9617222580
Alternative	HB1179
Application	MAN 112232900 Iveco 4841086
Repair Kits	RL3526EK-9



RL3526DC	
	Ports 11,21,22=M16x1.5 Installation Hole: M6 Installation Hole Spacing: 80mm
Cross Ref.	9617231020
Application	DAF 1518234 Iveco 980942 MAN 99100360455 RVI 5010056094





RL3526DC05	
	Ports 1, 21, 22: M16x1.5-6H Installation hole: 2xΦ7 Parking position 73°
Cross Ref.	9617232130
Application	DAF 1505339






RL3526DC06	
	Ports 1, 21, 22 thread: M16x1.5 Installation hole: M6
Cross Ref.	9617231570
Application	KAMAZ

RL3526DD	
	Ports: 1,21,22 M16x1.5
Application	FAW


Parking Brake Valve		4.03
RL3526DE		
	Ports 1,21,22: All M16x1.5	
Application	FAW	3508815-Q109C
RL3526DX		
	Ports 1, 21, 22: M16x1.5 Parker	
Alternative	HB1500	
Application	DAF	81523156113
	MAN	
Repair Kits	RL3526DX-9	
RL3526DY		
	Ports 1, 21, 22: M16x1.5 Parker	
Cross Ref.	9617231080	
Application	DAF	0559817
Repair Kits	RL3526DY-9	
RL3526DX05		
	Port1: M16x1.5 Port21: M16x1.5 Port22: M16x1.5 Mounting: M6	


RL3526DX07		
	Break 73 Voss Push In Fitting	
Cross Ref.	9617231000	
Application	DAF	1518233
	MAN	81523156113
	NATO	2530123122719
RL3526DX03		
	Port 1,21,22: M16x1.5	
Cross Ref.	9617231110	
Application	DAF	1518236
	MAN	85500014558
RL3526DX06		
Ports: 1,21,22 M16x1.5		
Cross Ref.	9617232080	
Application	DAF	1519269
	Iveco	5010145720
	RVI	5010145720
RL3526DX08		
Ports thread 3xM16x1.5 Installation hole thread: M6		
Application	Kamaz	

Parking Brake Valve		4.03	
		RL3526NA	
Ports: 2xM16x1.5 Voss			
Cross Ref.	9617230190		
Application	DAF	1524310	
	MAN	81523155160	
Repair Kits	RL3526NA-9		
		RL3526NB	
Ports: 3xM16x1.5 Voss			
Cross Ref.	9617231040		
Alternative	HB1510		
Application	DAF	1518235	
	Mercedes	0024307581	
Repair Kits	RL3526NB-9		
		RL3526NA-B	
Port1: M16x1.5 Voss			
Port2: M16x1.5 Voss			
Mounting: M8			
Cross Ref.	9617230050		
Alternative	HB1511		
Application	DAF	1518229	
	Mercedes	0024307481	
		RL3526NA-C	
Ports: 3xM16x1.5			
Cross Ref.	14096353X0002		
Application	Foton		
	MAN	81523156156	


		RL3526NA38	
Ports 1, 21: M16x1.5-6H			
Installation hole: 2xM8-6H			
Trailer position 73 °			
Cross Ref.	9617234210		
Application	Mercedes	0034305981	
	NATO		
		RL3526NE	
Ports: 2xM16x1.5 Parker			
Comment: With Warning Light Switch			
Cross Ref.	DPM94 AAX		
Application	DAF	1505334	
	Iveco	8137037	
Repair Kits	RL3526NE-9		
		RL3526NE-A	
Ports: 3xM16x1.5			
Cross Ref.	DPM95 AAX		
Alternative	9617231170		
Application	DAF	1524294	
	Iveco	41002766	
		RL3526XD01	
All ports hole: 6xΦ10			
Installation hole: Φ7			
Cross Ref.	DPM64MP		
Application	Mercedes		
		RL3526NE-B	
Ports 1, 21, 22 thread: M16x1.5			
Installation hole: M8x1			
Cross Ref.	DPM28A		
Application	Iveco	SPR1	
	RVI	5010422400	


Parking Brake Valve 4.03


		RL3526VA	
		Ports 1, 2: M14X1.5	
Cross Ref.	9617210000		
Application	DAF	1524300	
	MAN	81523156068	
		81523156054	
	Mercedes	0004307881	
Repair Kits	RL3526VA-9		


		RL3526VB	
		Ports 1, 2=M12x1.5 Exhaust Hole: $\phi 8$ Installation Hole: M6 Installation Hole Spacing: (39 ± 0.2) mm	
Cross Ref.	9617210040		
Application	DAF	1506443	
	Ford	86015528	
	Iveco	41822694	
	MAN	81523156165	
	RVI	5000544905	
	Scania	405673	
	Volvo	4822431	


		RL3526WA01	
		Ports 1, 2=M12x1.5 Exhaust Hole: $\phi 8$ Installation hole: M6 Installation hole spacing: (39 ± 0.2) mm	
Cross Ref.	9617100560		
Application	American Truck		




		RL3526WA02	
		Ports 1, 2: M14x1.5-6H Installation hole: 2xM6-6H	
Cross Ref.	9617100540		
Application	Foton		





		RL3526PA	
		Ports: All M14x1.5	
Cross Ref.	9617011000		
Alternative	HB1132, 328009111		
Application	Scania	400555	
	MAN	11026510099	
	Iveco	1373808	
Repair Kits	RL3526PA-9		




		RL3526PD	
		All Ports: M14x1.5	
Cross Ref.	9617011050		
Alternative	HB1132, 328011011		
Application	Scania	400555	
	MAN	11026530099	
	Iveco	2498634	
Repair Kits	RL3526PD-9		


		RL3526PB	
		All Ports: M14x1.5 Comment: Right Hand	
Cross Ref.	9617020010		
Alternative	HB1122	328012011	
Application	DAF	0176628	
	Iveco	42017083	
	Volvo	1509055	
Repair Kits	RL3526PB-9		





		RL3526PC	
		All Ports: M14x1.5 Comment: Right Hand	
Cross Ref.	9617020040		
Alternative	328012031		
Application	DAF	0360774	
	Mercedes	0004308581	
	Neoplan	1102656544010	
Repair Kits	RL3526PC-9		

Parking Brake Valve		4.03
RL3526XB01		
	Ports: 3xM16x1.5-6H Installation hole: 4xΦ9/2xΦ6.5 Parking position 73°	
Cross Ref.	9617231220	
Application	DAF Scania 1324425	
RL3526XB03		
	Ports 1, 21, 22: M16x1.5-6H Installation hole: Φ9, Φ6.5 Parking position 73°	
Cross Ref.	9617232170	
Application	DAF 1506757 Scania 1408332	
RL3526XC01		
	All Ports: M16x1.5 Installation hole: 2xM8 Parking position 73°	
Cross Ref.	9617231250	
Application	DAF 1519266 Mercedes 0034307381	
RL3526XA01		
	Ports 1,2,3: M12x1.5	
Application	Foton	

RL3526XA02	
	Ports A, V: M16x1.5-6H Port E thread: 8.5mm
Cross Ref.	8845019220
Application	Foton
RL3526WL01	
	Ports 11,21,22: M14x1.5 Mounting: M6
Cross Ref.	HB1219
Alternative	9617222690
Application	RVI 5000716328
RL3526QL01	
	Ports 1,2: M14x1.5 Mounting: M6
Cross Ref.	HB1242
RL3526QL02	
	Ports 1,2: M14x1.5 Mounting: M6
Cross Ref.	HB1142
Alternative	9617210020
Application	Volvo FL6 6876922

Parking Brake Valve 4.03	
RL3526YL01	
	Inlet: Connection For Plastic Tube Φ 10mm Delivery: Connection For Plastic Tube Φ 15mm
Cross Ref.	M304950
Application	Truck
RL3526YL02	
	Inlet: M18x1.5 Delivery: M22x1.5 Aux Delivery: M12X1.5
Cross Ref.	M303751
Application	Truck
RL3526XE01	
	Ports: 3xNPT 1/4
Cross Ref.	K001726
Application	Volkswagen

Trailer Brake Hand Control Valve 4.03	
RL3526LA	
	Ports: 1/4" NPT
Repair Kits	RL3526LA-9

RL3526FA	
	Ports: 1/4" NPT
Cross Ref.	APSA5890
Alternative	961710133 0
Application	Mercedes
Repair Kits	RL3526FA-9
RL3526LB	
	Ports: 1/4" NPT
Application	Japanese
Repair Kits	RL3526LB-9
RL3526KA	
	Ports: 1/4" NPT
Cross Ref.	5900G
Application	Truck
RL3526TA	
	Ports: 1/4" NPT
Cross Ref.	276270
Application	American Truck
Repair Kits	RL3526TA-9